



# 2017 retail



Image	Description	Item Number	Item Specifications	US Price
	<b>BA15 ROUND W/SBC</b> 1.5W, 360° ø16x40mm	1165	<b>WARM WHITE</b> 8-16V AC/DC, 2700 Temp	\$ 6.92
		1265	<b>NEAR WHITE</b> 6V AC/DC, 4000 Temp	\$ 3.28
	<b>T10 WEDGE</b> AC/DC 12V, 1W T5, 360° ø11.5x27mm	1167	<b>T10 WEDGE WARM WHITE</b> 2700 Temp	\$ 1.54
		1168	<b>T10 WEDGE NEAR WHITE</b> 4000 Temp	\$ 1.54
	<b>MR16</b> 3 LEDs 45 degree 3 Watt 680 LUM	24010	<b>MR16 WARM WHITE</b> 2700 Temp	\$ 6.92
		24005	<b>MR16 NEAR WHITE</b> 4000 TEMP	\$ 6.15
	<b>G4 FLAT</b> 15 LEDs 1 Watt 200 Lum 4000 Temp 12 Volt AC/DC	24620	<b>G4 FLAT WARM WHITE</b> 2700 Temp	\$ 3.08
		24610	<b>G4 FLAT NEAR WHITE</b> 4000 Temp	\$ 3.08
	<b>G4 ROUND</b> 18 LEDs 2.4 Watt 288 Lum 360 Degree lighting 12 Volt AC/DC	24710	<b>G4 ROUND WARM WHITE</b> 2700 Temp	\$ 6.15
		24705	<b>G4 ROUND NEAR WHITE</b> 4000 Temp	\$ 4.62
	<b>LINEAR LIGHT FIXTURE BRONZE FINISH</b> 8 x 3.5 x 1.25 Opaque glass for subtle lighting	28218-RGBW	<b>LINEAR RGBWW BRONZE FIXTURE</b> RGBW 2700 Temp, Dimmable / Timable	\$ 126.15
		28218-SMART	<b>LINEAR SMART BRONZE FIXTURE</b> 2700 Temp, Dimmable / Timable	\$ 110.77
		28218-NEAR	<b>LINEAR BRONZE FIXTURE</b> 2700 Temp	\$ 80.00
	<b>RGBW LINEAR LIGHT BAR</b> High output LEDs, dimmable output RGBW 2700 Temp combinations Wireless LumenNode included 5' of wire between LumenNode and Linear and 3' of 12v wire	50070	<b>RGBW LINEAR 70MM LIGHT BAR</b>	\$ 48.46
		50125	<b>RGBW LINEAR 125MM LIGHT BAR</b>	\$ 50.77
		50155	<b>RGBW LINEAR 155MM LIGHT BAR</b>	\$ 52.31
		50210	<b>RGBW LINEAR 210MM LIGHT BAR</b>	\$ 54.62
		50500	<b>RGBW LINEAR 500MM LIGHT BAR</b>	\$ 63.85
		51000	<b>RGBW LINEAR 1000MM LIGHT BAR</b>	\$ 73.08
	<b>WELL LIGHT</b> Rugged cast brass top with corrosion resistant canister, Waterproof design 12 W, Sealed both above and below ground	10427-RGBWW	<b>WELL LIGHT RGBWW WARM WHITE</b> RGBW, 2700 Temp combinations	\$ 233.85
		10427-SMART	<b>WELL LIGHT SMART WARM WHITE</b> Dimmable/Timer	\$ 156.92
		10427-WARM	<b>WELL LIGHT WARM WHITE</b> 2700 Temp	\$ 64.62
		10425-RGBNW	<b>WELL LIGHT RGBNW NEAR WHITE</b> RGBW 3800 Temp combinations	\$ 233.85
		10425-SMART	<b>WELL LIGHT SMART NEAR WHITE</b> 3800 Temp, dimmable/timer	\$ 156.92
		10425-NEAR	<b>WELL LIGHT NEAR WHITE</b> 3800 Temp	\$ 64.62



# 2017 retail



Image	Description	Item Number	Item Specifications	US Price
	<b>UNDERWATER LIGHT RGBWW</b> Underwater Fountain, Waterfall, Pond Lights Forged brass underwater light 12v low voltage fixture 25' lead wire	31027-RGBWW	<b>UNDERWATER LIGHT RGBWW</b> RGBWW 2700 Temp	\$ 187.69
		31027-SMART	<b>UNDERWATER LIGHT RGBWW SMART</b> Dimmible/On/Off, 2700 Temp	\$ 264.62
		31027-WARM	<b>UNDERWATER LIGHT WARM</b> 2700 Temp	\$ 87.69
		31025-RBGNW	<b>UNDERWATER LIGHT RGBNW</b> RGBNW 3800 Temp	\$ 156.92
		31025-SMART	<b>UNDERWATER LIGHT RGBNW SMART</b> Dimmible/On/Off, 3800 Temp	\$ 233.85
		31025-NEAR	<b>UNDERWATER LIGHT NEAR WHITE</b> 3800 Temp	\$ 87.69
	<b>ROPE LIGHT</b> High output rope lighting commercial grade LumenNode controlled color mixing Dimmable DC12V SMD5050 60LEDs/m 3-in-1 RGB+WW (3000K) Silicone tube (Silicon sleeved) Waterproof IP67, 5 Meter/reel	20027-RGBWW	<b>ROPE LIGHT RGBWW WARM WHITE</b> 2700 Temp, Dimmable	\$ 72.31
		20027-SMART	<b>ROPE LIGHT SMART</b> Dimmable	\$ 56.15
		20027-WARM	<b>ROPE LIGHT WARM WHITE</b> 2700 Temp	\$ 17.69
		20025-RGBNW	<b>ROPE LIGHT NEAR WHITE RGBNW</b> Dimmable	\$ 72.31
		20025-SMART	<b>ROPE LIGHT SMART NEAR WHITE</b> Dimmable	\$ 56.15
		20025-NEAR	<b>ROPE LIGHT NEAR WHITE</b> 3800 Temp	\$ 17.69
	<b>5" PATHLIGHT</b> Brass finish 23" overall height 5" diameter hood Stake included Voltage: 12 Volts AC/DC Wattage: 3 - 4 Watts	3427-SMART	<b>5" PATHLIGHT SMART WARM WHITE</b> Dimmible/On/Off, 2700 Temp	\$ 141.54
		3427-WARM	<b>5" PATHLIGHT WARM WHITE</b> 2700 Temp	\$ 80.00
		3425-SMART	<b>5" PATHLIGHT SMART NEAR WHITE</b> Dimmible/On/Off, 3800 Temp	\$ 141.54
		3425-NEAR	<b>5" PATHLIGHT NEAR WHITE</b> 3800 Temp	\$ 80.00
	<b>7" PATHLIGHT</b> Solid cast brass 24" overall height 7" diameter hood Stake included Voltage: 12 Volts AC/DC Wattage: 3 Watts	3627-WARM	<b>7" PATHLIGHT SMART WARM WHITE</b> 2700 Temp	\$ 141.54
		3627-SMART	<b>7" PATHLIGHT WARM WHITE</b> 2700 Temp, Dimmible on/off	\$ 80.00
		3625-NEAR	<b>7" PATHLIGHT NEAR WHITE</b> 3800 Temp	\$ 80.00
		3625-SMART	<b>7" PATHLIGHT SMART NEAR WHITE</b> 3800 Temp, Dimmible on/off	\$ 141.54



# 2017 retail



Image	Description	Item Number	Item Specifications	US Price
	<p><b>9" PATHLIGHT</b> Solid cast brass 24" overall height 9" diameter hood Stake included Voltage: 12 Volts AC/DC Wattage: 3 Watts</p>	3727-RGBWW	<b>9" PATHLIGHT RGBWW WARM WHITE</b> RGBWW 2700 Temp	\$ 172.31
		3727-SMART	<b>9" PATHLIGHT SMART WARM WHITE</b> 2700 Temp, Dimmable on/off	\$ 141.54
		3727-WARM	<b>9" PATHLIGHT WARM WHITE</b> 2700 Temp	\$ 80.00
		3725-RGBW	<b>9" PATHLIGHT RGBW NEAR WHITE</b> RGBW 3800 Temp	\$ 141.54
		3725-SMART	<b>9" PATHLIGHT SMART NEAR WHITE</b> RGBW 3800 Temp, Dimmable on/off	\$ 172.31
		3725-NEAR	<b>9" PATHLIGHT NEAR WHITE</b> 3800 Temp	\$ 80.00
	<p><b>UPLIGHT LARGE</b> Solid cast brass 10 . 25 " Height 2 . 225 " Diameter Stake Included Voltage: 12 Volts AC/DC Wattage: 3 Watts</p>	3527-RGBWW	<b>UPLIGHT LARGE RGBWW WARM WHITE</b> RGBW 2700 Temp	\$ 233.85
		3527-SMART	<b>UPLIGHT LARGE SMART WARM WHITE</b> Dimmible/On/Off, 2700 Temp	\$ 156.92
		3527-WARM	<b>UPLIGHT LARGE WARM WHITE</b> 2700 Temp	\$ 72.31
		3525-RGBNW	<b>UPLIGHT LARGE RGBW NEAR WHITE</b> RGBW 3800 Temp	\$ 233.85
		3525-SMART	<b>UPLIGHT LARGE SMART NEAR WHITE</b> Dimmible/On/Off, 3800 Temp	\$ 156.92
		3525-NEAR	<b>UPLIGHT LARGE NEAR WHITE</b> 3800 Temp	\$ 72.31
	<p><b>UPLIGHT MINI</b> Solid cast brass 10 . 25 " Height 1 . 7 " Diameter Stake Included Voltage: 12 Volts AC/DC Wattage: 1 Watts per color</p>	3827-RGBWW	<b>UPLIGHT MINI RGBWW WARM WHITE</b> RGBW 2700 Temp	\$ 156.92
		3827-SMART	<b>UPLIGHT MINI SMART WARM WHITE</b> 2700 Temp, Dimmible on/off	\$ 126.15
		3827-WARM	<b>UPLIGHT MINI WARM WHITE</b> 2700 Temp	\$ 64.62
		3825-RGBNW	<b>UPLIGHT MINI RGBW NEAR WHITE</b> RGBW 3800 Temp	\$ 156.92
		3825-SMART	<b>UPLIGHT MINI SMART NEAR WHITE</b> 3800 Temp, Dimmable, on/off	\$ 126.15
		3825-NEAR	<b>UPLIGHT MINI NEAR WHITE</b> 3800 Temp	\$ 64.62
	<p><b>LEAF BOLLARD</b> Aluminum construction - Bronze finish 26" Leaf Tower 45 Lumen output (Warm) Install with two 10" ground stakes Five year warranty</p>	3927-RGBWW	<b>LEAF BOLLARD RGBWW</b> RGBW 2700 Temp	\$ 356.15
		3927-SMART	<b>LEAF BOLLARD SMART WARM WHITE</b> 2700 Temp, Dimmable on/off	\$ 310.77
		3927-WARM	<b>LEAF BOLLARD WARM WHITE</b> 2700 Temp	\$ 233.85
		3925-RGBNW	<b>LEAF BOLLARD RGBW</b> RGBW 3800 Temp	\$ 356.92
		3925-SMART	<b>LEAF BOLLARD SMART NEAR WHITE</b> 3800 Temp, Dimmable on/off	\$ 310.77
		3925-NEAR	<b>LEAF BOLLARD NEAR WHITE</b> 3800 Temp	\$ 233.85



# 2017 retail



Image	Description	Item Number	Item Specifications	US Price
	<b>PUCK LIGHT NO FLANGE</b> 12V AC/DC 4 Watt Stainless Steel ø33.25mmx70mm	8627-RGBWW	<b>PUCK LIGHT NO FLANGE RGBWW</b> RGBW 2700 Temp	\$ 153.08
		8627-SMART	<b>PUCK LIGHT NO FLANGE SMART WW</b> 2700 Temp, Dimmable on/off	\$ 153.08
		8627-WARM	<b>PUCK LIGHT NO FLANGE WW</b> 2700 Temp	\$ 153.08
		8625-RGBNW	<b>PUCK LIGHT NO FLANGE RGBNW</b> RGBW 3800 Temp	\$ 153.08
		8625-SMART	<b>PUCK LIGHT NO FLANGE SMART NW</b> 3800 Temp, Dimmable on/off	\$ 153.08
		8625-NEAR	<b>PUCK LIGHT NO FLANGE NW</b> 3800 Temp	\$ 153.08
	<b>PUCK LIGHT ONLY</b> 12V AC/DC 4 Watt Stainless Steel ø52x70mm	8727-RGBWW	<b>PUCK LIGHT ONLY RGBWW</b> RGBW 2700 Temp	\$ 133.85
		8727-SMART	<b>PUCK LIGHT ONLY SMART WW</b> 2700 Temp Dimmable on/off	\$ 110.77
		8727-WARM	<b>PUCK LIGHT ONLY WARM WHITE</b> 2700 Temp	\$ 33.85
		8725-RGBNW	<b>PUCK LIGHT ONLY RGBNW</b> RGBW 3800 Temp	\$ 133.85
		8725-SMART	<b>PUCK LIGHT ONLY SMART NW</b> 3800 Temp, Dimmable on/off	\$ 110.77
		8725-NEAR	<b>PUCK LIGHT ONLY NEAR WHITE</b> 3800 Temp	\$ 33.85
	<b>ROUND FLOOD LIGHT</b> 6" Tall 4.5" Diameter Stake included Par20 Light Engine	16727-RGBWW	<b>ROUND FLOOD LIGHT RGBWW</b> RGBW 2700 Temp, Dimming and timing	\$ 233.85
		16727-SMART	<b>ROUND FLOOD LIGHT SMART</b> 2700 Temp, Dimming and timing	\$ 156.92
		16727-WARM	<b>ROUND FLOOD LIGHT WARM</b> 2700 Temp	\$ 72.31
		16725-RGBBW	<b>ROUND FLOOD LIGHT RGBNW</b> RGBW 3800 Temp, Dimming and timing	\$ 233.85
		16725-SMART	<b>ROUND FLOOD LIGHT SMART</b> 3800 Temp, Dimming and timing	\$ 156.92
		16725-NEAR	<b>ROUND FLOOD LIGHT NEAR</b> 3800 Temp	\$ 72.31
	<b>SCONCE LIGHT</b> Dimensions 7" x 4" x 2.45" Solid cast brass sconce Up / Down Light output 12v input	65027-RGBWW	<b>SCONCE LIGHT RGBWW</b> RGBW 2700 Temp, Dimming and timing	\$ 295.38
		65027-SMART	<b>SCONCE LIGHT SMART</b> 2700 Temp, Dimming and timing	\$ 187.68
		65027-WARM	<b>SCONCE LIGHT WARM</b> 2700 Temp	\$ 126.14
		65025-RGBNW	<b>SCONCE LIGHT RGBNW</b> RGBW 3800 Temp, Dimming and timing	\$ 295.38
		65025-SMART	<b>SCONCE LIGHT SMART</b> 3800 Temp, Dimming and timing	\$ 187.68
		65025-NEAR	<b>SCONCE LIGHT NEAR</b> 3800 Temp	\$ 126.14
	<b>LUMEN LINK</b> Controller Bluetooth	10085	<b>CONTROLLER</b> Android System	\$ 233.08
		12021	<b>CONTROLLER</b> iOS System	\$ 233.08

STEP LIGHTS COMING SOON!!